

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Name : ROCKET BONDED ANCHOR RESIN COMP B
UFI : K806-D15C-K00W-VC8M
Type of product : A Chemical anchoring application
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use
Use of the substance/mixture : A Chemical anchoring application
Catalyst
Function or use category : Building and construction work

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ORBITAL FASTENERS LTD
OLDS APPROACH TOLPITS LANE
WD18 9XT WATFORD
T 01923 777777
sales@orbitalfasteners.co.uk - www.orbitalfasteners.co.uk

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|------------------------|------------------|-----------------------------------|
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital | Dudley Road B18 7QH | 0344 892 0111 | Only for healthcare professionals |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning

ROCKET BONDED ANCHOR RESIN COMP B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|--------------------------------|--|
| Contains | : DIBENZOYL PEROXIDE. |
| Hazard statements (CLP) | : H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H412 - Harmful to aquatic life with long lasting effects. |
| Precautionary statements (CLP) | : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective clothing, eye protection, face protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. |

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|----------|---|
| DIBENZOYL PEROXIDE. | CAS-No.: 94-36-0 EC-No.: 202-327-6 EC Index-No.: 617-008-00-0 REACH-no: 01-2119511472-50 | 10 – 20 | Org. Perox. B, H241 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) |
| ETHYLENE GLYCOL. substance with a Community workplace exposure limit | CAS-No.: 107-21-1 EC-No.: 203-473-3 EC Index-No.: 603-027-00-1 REACH-no: 01-2119456816-28 | >3 - <10 | Acute Tox. 4 (Oral), H302 STOT RE 2, H373 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : Eye irritation. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

ROCKET BONDED ANCHOR RESIN COMP B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

ROCKET BONDED ANCHOR RESIN COMP B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| DIBENZOYL PEROXIDE. (94-36-0) | |
|---|---|
| United Kingdom - Occupational Exposure Limits | |
| Local name | Dibenzoyl peroxide |
| WEL TWA (OEL TWA) [1] | 5 mg/m ³ |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |
| ETHYLENE GLYCOL. (107-21-1) | |
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| Local name | Ethylene glycol |
| IOEL TWA | 52 mg/m ³ |
| IOEL TWA [ppm] | 20 ppm |
| IOEL STEL | 104 mg/m ³ |
| IOEL STEL [ppm] | 40 ppm |
| Remark | Skin |
| Regulatory reference | COMMISSION DIRECTIVE 2000/39/EC |
| United Kingdom - Occupational Exposure Limits | |
| Local name | Ethane-1,2-diol |
| WEL TWA (OEL TWA) [1] | 10 mg/m ³ particulate 52 mg/m ³ vapour |
| WEL TWA (OEL TWA) [2] | 20 ppm vapour |
| WEL STEL (OEL STEL) | 104 mg/m ³ vapour |
| WEL STEL (OEL STEL) [ppm] | 40 ppm vapour |
| Remark | Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

ROCKET BONDED ANCHOR RESIN COMP B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Chemical resistant gloves (according to European standard ISO 374-1 or equivalent)

| Hand protection | | | | | |
|---------------------------------------|---|-------------------|----------------|--|------------|
| Type | Material | Permeation | Thickness (mm) | Penetration | Standard |
| Disposable gloves, Reusable gloves | Nitrile rubber (NBR), Butyl rubber, Viton® II | 6 (> 480 minutes) | 0.4 | As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. | EN ISO 374 |

8.2.2.3. Respiratory protection

Respiratory protection:

Wear suitable respiratory equipment in case of insufficient ventilation. EN141

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|------------------------------|
| Physical state | : Solid |
| Colour | : Beige. Black. White. Grey. |
| Appearance | : Paste. |
| Odour | : Barely perceptible odour. |
| Odour threshold | : Not available |
| Melting point | : 0 °C |

ROCKET BONDED ANCHOR RESIN COMP B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|---|--------------------------------|
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Not available |
| Oxidising properties | : Not oxidising. |
| Lower explosion limit | : Not applicable |
| Upper explosion limit | : Not applicable |
| Flash point | : Not applicable |
| Auto-ignition temperature | : Not applicable |
| Decomposition temperature | : Not available |
| SADT | : ≈ 50 °C |
| pH | : Not available |
| pH solution | : Not available |
| Viscosity, kinematic | : Not applicable |
| Solubility | : Material insoluble in water. |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : Not available |
| Relative density | : 1.45 g/cm ³ |
| Relative vapour density at 20°C | : Not applicable |
| Particle size | : Not available |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Additional information : Contains <1% active oxygen

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

ROCKET BONDED ANCHOR RESIN COMP B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

DIBENZOYL PEROXIDE. (94-36-0)

| | |
|---------------|--------------|
| LD50 oral rat | > 2000 mg/kg |
|---------------|--------------|

ETHYLENE GLYCOL. (107-21-1)

| | |
|---------------|-----------------------------------|
| LD50 oral rat | 7712 mg/kg bodyweight Animal: rat |
|---------------|-----------------------------------|

| | |
|-------------|------------|
| LD50 dermal | 3500 mg/kg |
|-------------|------------|

Skin corrosion/irritation : Not classified

ETHYLENE GLYCOL. (107-21-1)

| | |
|----|------------------------|
| pH | 6 – 7.5 Source: GESTIS |
|----|------------------------|

Serious eye damage/irritation : Causes serious eye irritation.

ETHYLENE GLYCOL. (107-21-1)

| | |
|----|------------------------|
| pH | 6 – 7.5 Source: GESTIS |
|----|------------------------|

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

DIBENZOYL PEROXIDE. (94-36-0)

| | |
|------------|----------------------|
| IARC group | 3 - Not classifiable |
|------------|----------------------|

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

ETHYLENE GLYCOL. (107-21-1)

| | |
|----------------------------|--------------------------|
| NOAEL (oral, rat, 90 days) | 150 mg/kg bodyweight/day |
|----------------------------|--------------------------|

Aspiration hazard : Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Not rapidly degradable

ROCKET BONDED ANCHOR RESIN COMP B

| | |
|-----------------|------------------------|
| LC50 - Fish [1] | > 100 mg/l OECD TG 203 |
|-----------------|------------------------|

| | |
|------------------------------------|-----------------------|
| EC50 - Other aquatic organisms [1] | > 10 mg/l OECD TG 202 |
|------------------------------------|-----------------------|

| | |
|----------------------|-----------------------|
| EC50 72h - Algae [1] | > 60 mg/l OECD TG 201 |
|----------------------|-----------------------|

DIBENZOYL PEROXIDE. (94-36-0)

| | |
|-----------------|--|
| LC50 - Fish [1] | 0.0602 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
|-----------------|--|

| | |
|----------------------|---|
| EC50 - Crustacea [1] | 0.11 mg/l Test organisms (species): Daphnia magna |
|----------------------|---|

| | |
|------------------------------------|-----------|
| EC50 - Other aquatic organisms [1] | 0.11 mg/l |
|------------------------------------|-----------|

ROCKET BONDED ANCHOR RESIN COMP B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| DIBENZOYL PEROXIDE. (94-36-0) | |
|------------------------------------|---|
| ErC50 algae | 0.071 mg/l Source: ECHA |
| ETHYLENE GLYCOL. (107-21-1) | |
| LC50 - Fish [1] | > 72860 mg/l Test organisms (species): Pimephales promelas |
| EC50 - Crustacea [1] | > 100 mg/l Test organisms (species): Daphnia magna |
| EC50 - Other aquatic organisms [1] | 100 mg/l |
| EC50 96h - Algae [1] | 6500 – 13000 mg/l Source: ECHA |
| NOEC (chronic) | ≥ 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d' |
| NOEC chronic fish | 15380 mg/l |
| NOEC chronic crustacea | 8590 mg/l |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

| DIBENZOYL PEROXIDE. (94-36-0) | |
|---|-------------------|
| Partition coefficient n-octanol/water (Log Pow) | 3.46 Source: HSDB |
| ETHYLENE GLYCOL. (107-21-1) | |
| Partition coefficient n-octanol/water (Log Pow) | -1.36 |

12.4. Mobility in soil

| ETHYLENE GLYCOL. (107-21-1) | |
|-----------------------------|------------------|
| Mobility in soil | 0.2 Source: HSDB |

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|------------------------------|------|------|-----|-----|
| 14.1. UN number or ID number | | | | |
| Not regulated for transport | | | | |

ROCKET BONDED ANCHOR RESIN COMP B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR | IMDG | IATA | ADN | RID |
|---|----------------|----------------|----------------|----------------|
| 14.2. UN proper shipping name | | | | |
| Not regulated. | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| 14.3. Transport hazard class(es) | | | | |
| Not regulated. | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| 14.4. Packing group | | | | |
| Not regulated. | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| 14.5. Environmental hazards | | | | |
| Not regulated. | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not regulated.

Transport by sea

Not regulated.

Air transport

Not regulated.

Inland waterway transport

Not regulated.

Rail transport

Not regulated.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

ROCKET BONDED ANCHOR RESIN COMP B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

| | |
|--------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| COD | Chemical oxygen demand (COD) |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| EN | European Standard |
| IARC | International Agency for Research on Cancer : |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |

ROCKET BONDED ANCHOR RESIN COMP B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: | |
|-----------------------------|--|
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| VOC | Volatile Organic Compounds |
| CAS-No. | Chemical Abstract Service number |
| N.O.S. | Not Otherwise Specified |
| vPvB | Very Persistent and Very Bioaccumulative |
| ED | Endocrine disrupting properties |

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| H241 | Heating may cause a fire or explosion. |
| H302 | Harmful if swallowed. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Org. Perox. B | Organic Peroxides, Type B |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| STOT RE 2 | Specific target organ toxicity – Repeated exposure, Category 2 |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.